

# SAFETY DATA SHEET

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Manufacturer's Name:	FLEXcon COMPANY, INC.
Address:	FLEXcon Industrial Park
City, State, and Zip:	Spencer, MA 01562
Emergency Telephone Number:	(508) 885-3973
Other Information Calls:	(508) 885-3973
Date Prepared:	09/30/2021

### PRODUCT NAME:

**FLX000485 FT - FLEXcon(R) SWITCHMARK 252B 5 MIL POLYESTER  
W/ADHESIVE BOTH SIDES ON 90 PFW ONE SIDE/80BPFM PRINTED ONE SIDE**

## 2. HARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS: None  
ACUTE: No significant toxic hazard. When burned may produce toxic fumes.  
CHRONIC: No significant toxic hazard.

None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, OSHA, or ACGIH as a carcinogen.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS REGISTRY # N/A

Individual components of this product do not contribute to any known hazards

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200): NONE

## 4. FIRST AID MEASURES

Emergency and First Aid Procedures:

ROUTES OF ENTRY-

1. Inhalation: N/A
2. Eyes: N/A
3. Skin: N/A
4. Ingestion: N/A

## 5. FIRE FIGHTING MEASURES

Flash Point:	N/A
Method Used:	N/A
Auto-Ignition Temperature:	N/A
Flammable Limits in Air % by Volume:	
LEL:	N/A
UEL:	N/A
Extinguishing Media:	Use multi-rated ABC extinguisher or water.

Special Fire Fighting Procedures: In case of fire, use self-contained breathing apparatus and full protective equipment - all fires liberate toxic gases.

Unusual Fire and Explosion Hazards: None

## 6. ACCIDENTAL RELEASE MEASURES

N/A

## 7. HANDLING AND STORAGE

No special handling required, other than storing away from excessive heat sources.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory Protection: None required  
Skin Protection: No precautions required  
Eye Protection: None required  
Exposure Guidelines: None established  
Engineering Controls: None required

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point:	N/A	Specific Gravity (H <sub>2</sub> O = 1):	N/A
Vapor Pressure (mm Hg):	N/A	Vapor Density (air = 1):	N/A
Solubility in water:	N/A	Reactivity of water:	N/A
Appearance and Odor:	N/A	Melting Point:	N/A

## 10. STABILITY AND REACTIVITY

STABILITY:	N/A
CONDITIONS TO AVOID:	Fire or excessive heat
INCOMPATIBILITY:	None
HAZARDOUS DECOMPOSITION PRODUCTS:	None
HAZARDOUS POLYMERIZATION:	Will not occur

## 11. TOXICOLOGICAL INFORMATION

Carcinogen Status ... NTP: NONE ... IARC: NONE ... OSHA: NONE

## 12. ECOLOGICAL INFORMATION

No data available

## 13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: Dispose of in accordance with local, State and Federal regulations.

## 14. TRANSPORT INFORMATION

TRANSPORTATION AND HAZARDOUS MATERIALS DESCRIPTION: Not a hazardous material for DOT shipping.

## 15. REGULATORY INFORMATION

OSHA STANDARD CFR 29, PART 1910.1200: This product is considered to be an "article" under this standard.

SARA 313 INFORMATION: This product contains no substances at or above the reporting threshold subject to the reporting requirement of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 371, based on available data.

CALIFORNIA PROPOSITION 65: As stated above, our materials are considered to be "articles" that do not result in chemical exposure under normal conditions of use. We provide Prop 65 content responses for specific products by request based on the information we have on file from our suppliers and our knowledge of the composition. It is the responsibility of the last supplier in the supply chain to determine if a warning label is required for the consumer based on the end use application and the level of exposure.

## 16. OTHER INFORMATION

The information contained herein is based on the data available to FLEXcon COMPANY, INC. and is believed to be correct. However, the FLEXcon COMPANY, INC. makes no warranty, expressed or implied, regarding the accuracy of these data or the results to be obtained from the use thereof. FLEXcon COMPANY, INC. assumes no responsibility for injury from the use of the product described herein.